Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 27, October 4, 2012

For the Period September 25 to October 1, 2012

Another week of warm harvest weather has allowed Saskatchewan producers to get most of the crop in the bin. Ninety-seven per cent of the 2012 crop is combined, according to Saskatchewan Agriculture's weekly Crop Report. The five-year (2007-2011) provincial average for this time of year is 83 per cent combined.

One year ago
Warm and dry weather allowed for producers to continue with harvest. Ninety-eight per cent of the 2011 crop had been combined. Crop quality was good.

Follow the 2012 Crop Report on Twitter @SKGovAg

The southeast has 98 per cent combined; the southwest 99 per cent; the east central region 95 per cent; the west central region 96 per cent; the northeast 94 per cent and the northwest 97 per cent. Ninety-eight per cent of the spring wheat and durum; 93 per cent of the oats; 95 per cent of the canola and 74 per cent of the flax have been combined.

Across the province, topsoil moisture on cropland is rated as two per cent surplus, 35 per cent adequate, 41 per cent short and 22 per cent very short. Hay land and pasture topsoil moisture is rated as 34 per cent adequate, 38 per cent short and 28 per cent very short.

Farmers are busy finishing up harvest, hauling bales and grain, working fields and controlling weeds.

Harvest Progress in SK Per cent combined All Crops	
Oct 4/12	97
5 year avg. (2007-2011)	83
Oct 6/11	98
Oct 4/10	60
Oct 5/09	76
Oct 4/08	95
Sept 30/07	87

Saskatchewan Harvest October 1, 2012 Per cent combined	
Winter wheat	100
Fall rye*	100
Spring wheat	98
Durum	98
Barley	98
Oats	93
Canaryseed	81
Flax	74
Canola	95
Mustard	98
Lentils	99
Peas	100
Chickpeas	96
*includes eight per cent 'other'	

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Producers now have 98 per cent of the 2012 crop in the bin, up from 95 per cent last week. Crop district 1A has 100 per cent combined, CD 1B 99 per cent, CD 2A 95 per cent, CD 2B 98 per cent and CD 3ASE has 97 per cent combined. There are still some flax, sunflower, soybean and corn crops left to be combined. There have been reports of canola and flax heating issues in the bin.

The majority of the region did not receive any rainfall this past week. The Weyburn, Radville and Moose Jaw areas received 2 mm and the Wilcox area received 3 mm. Since April 1, rainfall in the region has ranged from 193 mm (Radville area) to 533 mm (Tantallon area). Radville has recorded the least cumulative rainfall in the province.

Topsoil moisture ratings on cropland are reported as 18 per cent adequate, 57 per cent short and 25 per cent very short. On hay land and pasture, topsoil moisture is rated as 20 per cent adequate, 49 per cent short and 31 per cent very short. Crop District 3ASE is reporting that 58 per cent of cropland is very short of moisture. A significant rain will be needed after harvest to recharge the soil. There have been some reports of fires due to the lack of moisture in some areas.

Later seeded crops are yielding better than earlier seeded ones. Average yields for the region are as follows: winter wheat 54 bu/ac, spring wheat 32 bu/ac, durum 34 bu/ac, oats 59 bu/ac, barley 50 bu/ac, fall rye 48 bu/ac, flax 21 bu/ac, canola 26 bu/ac, mustard 584 lb./ac, sunflowers 1500 lb./ac, lentils 1085 lb./ac, peas 28 bu/ac, chickpeas 1657 lb./ac and canary seed 991 lb./ac.

Average grades of spring wheat are estimated as follows: 36 per cent 1CW, 40 per cent 2CW, 13 per cent 3CW and 11 per cent Feed. Fusarium and wheat midge damage are downgrading some wheat samples.

Producers are busy finishing up harvest, working fields, hauling bales, cleaning corrals and spraying weeds.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Harvest is almost complete in the region. Ninety-nine per cent of the 2012 crop is in the bin, up two per cent from last week. Crop districts 3ASW and 3AN have 98 per cent of the crop combined, CD 3BS has 100 per cent combined and CDs 3BN, 4A and 4B have 99 per cent combined. There are some flax, canary seed and sunflower crops that still need to be combined. There have been reports of canola and flax heating in the bin.

Little rainfall was received in the majority of the region this past week. Moisture conditions continue to worsen due to the high temperatures and lack of rain over the past few months. The Bengough, Ponteix and Assiniboia areas received 1 mm of rain, the Spring Valley area 3 mm, the Vanguard, Kyle and Webb areas 2 mm, the Gravelbourg and Leader areas 5 mm and the Coderre and Stewart Valley areas 7 mm. Since April 1, rainfall in the region has ranged from 198 mm (Assiniboia area) to 384 mm (Eyebrow area).

Topsoil moisture on cropland is rated as four per cent adequate, 36 per cent short and 60 per cent very short. Hay land and pasture topsoil moisture conditions are three per cent adequate, 30 per cent short and 67 per cent very short. Crop District 4B is reporting that 100 per cent of cropland, hay land and pasture are very short of moisture. A significant rain is needed to recharge the soil. There have been some reports of fires due to the lack of moisture in some areas.

Average yields for the region are as follows: winter wheat 43 bu/ac, spring wheat 32 bu/ac, durum 34 bu/ac, oats 55 bu/ac, barley 53 bu/ac, fall rye 39 bu/ac, flax 20 bu/ac, canola 25 bu/ac, mustard 829 lb./ac, lentils 1410 lb./ac, peas 31 bu/ac, chickpeas 1304 lb./ac and canary seed 1067 lb./ac.

Average grades of spring wheat are estimated as follows: 68 per cent 1CW, 26 per cent 2CW, four per cent 3CW and two per cent Feed. Fusarium, ergot and wheat midge damage are downgrading some wheat samples.

Producers are busy finishing up harvest, hauling bales and grain, working fields and picking rocks.

East-Central Saskatchewan (Crop Districts 5 and 6a)

Ninety-five per cent of the 2012 crop is combined, up from 88 per cent last week. Crop districts 5A and 6A have 99 per cent combined while CD 5B has 87 per cent combined. Some flax, canary seed and canola crops still need to be combined. Some winter wheat crops have germinated but emergence is uneven and there are concerns about winter survivability.

The region received no rain last week with the exception of the Chamberlain area (2 mm). Since April 1, cumulative rainfall in the region has ranged from 272 mm (Quill Lake area) to 496 mm (Jedburgh area). Cropland topsoil moisture is rated 31 per cent adequate, 59 per cent short and ten per cent very short. Hay land and pasture topsoil moisture is rated as 31 per cent adequate, 55 per cent short and 14 per cent very short.

Average yields for the region are as follows: winter wheat 40 bu/ac, spring wheat 32 bu/ac, durum 31 bu/ac, oats 62 bu/ac, barley 46 bu/ac, fall rye 30 bu/ac, flax 23 bu/ac, canola 24 bu/ac, mustard 1282 lb./ac, lentils 1350 lb./ac, peas 33 bu/ac, chickpeas 1200 lb./ac and canary seed 703 lb./ac.

Average grades of spring wheat are estimated as follows: 29 per cent 1CW, 44 per cent 2CW, 18 per cent 3CW and nine per cent Feed. Fusarium and wheat midge damage are downgrading some wheat samples; many producers are reporting high protein.

Producers are busy finishing up harvest, hauling grain, controlling weeds and working fields.

West-Central Saskatchewan (Crop Districts 6B and 7)

Significant harvest progress was made last week. Ninety-six per cent of the 2012 crop is combined, up from 85 per cent last week. Crop district 6B has 98 per cent combined, CD 7A 96 per cent and CD 7B has 93 per cent combined. Some flax, canary seed and canola fields remain to be combined.
The majority of the region did not receive any rain this past week, although the Outlook, Conquest, Netherhill and Tramping Lake areas did receive 1 mm of rain. Since April 1, cumulative precipitation in the region has ranged from 317 mm (Netherhill area) to 556 mm (Battleford area). The Battleford area has the second-highest cumulative rainfall total in the province since April 1.

Cropland topsoil moisture is rated as one per cent surplus, 47 per cent adequate, 39 per short and 13 per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 53 per cent adequate, 38 per cent short and eight per cent very short.

Average yields for the region are as follows: winter wheat 36 bu/ac, spring wheat 32 bu/ac, durum 34 bu/ac, oats 62 bu/ac, barley 46 bu/ac, fall rye 30 bu/ac, flax 22 bu/ac, canola 25 bu/ac, mustard 1040 lb./ac, sunflowers 1150 lbs./ac, lentils 1350 lb./ac, peas 27 bu/ac, chickpeas 1300 lb./ac and canary seed 831 lb./ac.

Average grades of spring wheat are estimated as follows: 37 per cent 1CW, 39 per cent 2CW, 16 per cent 3CW and eight per cent Feed. Fusarium, ergot and wheat midge damage are downgrading some wheat samples. Some producers are reporting high protein levels.

Producers are busy finishing harvest, hauling bales and grain, working fields and spraying weeds.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Producers now have 94 per cent of the 2012 crop combined, up from 83 per cent last week. Crop district 8A has 93 per cent of the crop combined, CD 8B 94 per cent and CD 9AE has 99 per cent combined. There are some fields of canola and flax that still need to be combined. There are also some red clover, alfalfa seed and hemp crops that remain in the field.

The majority of the region recorded no rainfall last week, although the Garrick area received 11 mm and the Tisdale area 2 mm. The Alvena area has recorded the least amount of rainfall since April 1 (403 mm), while the Tisdale area has received the greatest cumulative rainfall in both the region and the province (624 mm).

Cropland topsoil moisture is rated as seven per cent surplus, 85 per cent adequate, six per cent short and two per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 92 per cent adequate and seven per cent short.

Average yields for the region are as follows: winter wheat 40 bu/ac, spring wheat 35 bu/ac, durum 38 bu/ac, oats 74 bu/ac, barley 44 bu/ac, fall rye 40 bu/ac, flax 21 bu/ac, canola 22 bu/ac, mustard 900 lb./ac, lentils 1070 lb./ac, peas 28 bu/ac and canary seed 1411 lb./ac.

Average grades of spring wheat are estimated as follows: 10 per cent 1CW, 45 per cent 2CW, 29 per cent 3CW and 16 per cent Feed. Fusarium is downgrading some wheat samples at the elevator.

Producers are busy finishing combining, hauling bales and grain, controlling weeds and working fields.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Harvest is quickly progressing in the region due to warm and dry weather. Ninety-seven per cent of the crop is now in the bin, up from 82 per cent last week. Crop district 9AW has 96 per cent of the crop combined and CD 9B has 97 per cent of the crop combined. There are still some flax and canola crops left to be combined.

Most of the region did not receive any rain this past week. The Neilburg, Frenchman Butte and Meadow Lake areas received 2 mm and the Turtleford area 4 mm. Since April 1, cumulative rainfall in the region has varied from 330 mm (Frenchman Butte area) to 496 mm (Neilburg area).

Topsoil moisture conditions on cropland are seven per cent surplus, 65 per cent adequate and 28 per cent short. Pasture and hay land topsoil moisture conditions are one per cent surplus, 67 per cent adequate, 31 per cent short and one per cent very short.

Average yields for the region are as follows: winter wheat 40 bu/ac, spring wheat 39 bu/ac, oats 76 bu/ac, barley 61 bu/ac, fall rye 40 bu/ac, flax 20 bu/ac, canola 29 bu/ac, lentils 452 lb./ac and peas 31 bu/ac.

Average grades of spring wheat are estimated as follows: 15 per cent 1CW, 69 per cent 2CW, 13 per cent 3CW and three per cent Feed. Fusarium and ergot are downgrading some wheat samples at the elevator.

Producers are busy finishing harvest, hauling bales, moving cattle, working fields and spraying weeds.

Saskatchewan Harvest Progress October 1, 2012

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW*	0	0	0	99
EC	0	0	0	100
WC	0	0	0	100
NE	0	0	0	100
NW	0	0	0	100

* one per cent is rated as 'other'

Fall Rye	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW*	0	0	0	83
EC	0	0	0	100
WC	0	0	0	100
NE**	0	0	0	97
NW	0	0	0	100

* 17 per cent is rated as 'other'
** three per cent is rated as 'other'

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	1	1	1	97
SW	1	0	2	97
EC	0	2	4	94
WC	5	6	11	78
NE	1	5	8	86
NW	5	6	6	83

Durum	% Standing	% in swath	% ready to straight combine	% combined
SE	1	1	4	94
SW	1	0	1	98
EC	0	1	4	95
WC	13	6	10	71
NE	0	3	3	94
NW	N/A	N/A	N/A	N/A

Oats	% Standing	% in swath	% ready to straight combine	% combined
SE*	4	2	1	92
SW**	0	1	1	93
EC	2	10	8	80
WC**	6	6	7	76
NE	6	9	12	73
NW***	5	8	8	77

* one per cent is rated as 'other'
** five per cent is rated as 'other'
*** two per cent is rated as 'other'

Barley	% Standing	% in swath	% ready to straight combine	% combined
SE*	0	1	1	98
SW	1	0	2	97
EC	1	4	1	94
WC	3	5	7	85
NE	0	5	4	91
NW	5	6	4	85

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined
SE	32	7	2	59
SW	29	0	14	57
EC	45	14	8	33
WC	23	5	28	44
NE	1	9	25	65
NW	N/A	N/A	N/A	N/A

Lentils	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW	0	0	0	100
EC*	0	0	0	95
WC	0	4	2	94
NE**	0	0	0	97
NW	15	0	0	85

* five per cent is rated as 'other'
** three per cent is rated as 'other'

Peas	% Standing	% in swath	% ready to straight combine	% combined
SE*	0	0	0	99
SW	0	0	0	100
EC**	0	0	0	94
WC*	0	0	0	99
NE	0	0	0	100
NW*	4	0	0	95

* one per cent is rated as 'other'
** six per cent is rated as 'other'

Chickpeas	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW	16	0	2	82
EC	0	0	0	100
WC	0	0	0	100
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Canola	% Standing	% in swath	% ready to straight combine	% combined
SE	0	2	0	98
SW	0	1	0	99
EC	0	13	1	86
WC	0	8	1	91
NE	0	16	2	82
NW	5	10	6	79

Mustard	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW	0	0	0	100
EC	0	1	1	98
WC	3	4	28	65
NE*	0	1	9	89
NW	N/A	N/A	N/A	N/A

* one per cent is rated as 'other'

Flax	% Standing	% in swath	% ready to straight combine	% combined
SE	32	5	7	56
SW	24	4	15	57
EC	12	18	18	52
WC	38	9	22	31
NE	48	15	18	19
NW	N/A	N/A	N/A	N/A

Triticale	% Standing	% in swath	% ready to straight combine	% combined
SE	N/A	N/A	N/A	N/A
SW*	0	1	0	70
EC	0	0	0	100
WC	0	1	0	99
NE	0	0	0	100
NW	N/A	N/A	N/A	N/A

* 29 per cent is rated as 'other'

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending October 1, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 3, 2012

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 25 to October 1, 2012

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	181
	2	Mount Pleasant	N/A	243
	3	Enniskillen	NIL	317
	33	Moose Creek	N/A	266
	34	Browning	N/A	241
	61 A	Antler	N/A	343
	61 B	Antler	N/A	26
	63	Moose Mountain	NIL	364.3
	64	Brock	NIL	329
	65	Tecumseh	NIL	326
1B	91	Maryfield	NIL	347
	92	Walpole	N/A	302
	95	Golden West	NIL	301
	122	Martin	N/A	415
	123	Silverwood	NIL	384
	124	Kingsley	NIL	281
	151 A	Rocanville	NIL	533
	151 B	Rocanville	NIL	488
	153	Willowdale	N/A	391
	154	Elcapo	N/A	272
	155	Wolseley	NIL	388
2A	66	Griffin	N/A	N/A
	67	Weyburn	N/A	208
	68	Brokenshell	2	254
	69	Norton	N/A	N/A
	97	Wellington	NIL	338
2B	127 A	Francis	NIL	385.5
	127 B	Francis	N/A	266.7
	129	Bratt's Lake	3	323
	131	Baildon	1	381
	156	Indian Head	NIL	448.5
	160 A	Pense	NIL	327
	160 B	Pense	NIL	334
	161	Moose Jaw	2	366
	162	Caron	3	413.7
	191	Marquis	NIL	309
3ASE	38 A	Lauries	NIL	285
	38 B	Lauries	1	234
	39 A	The Gap	2	193
	39 B	The Gap	NIL	244
3ASW	10	Happy Valley	NIL	240
	12	Poplar Valley	NIL	275
	40	Bengough	1	214
	42	Willow Bunch	N/A	300
	43	Old Post	NIL	299
	44	Waverley	N/A	264
	70	Key West	N/A	187
	71	Excel	1	198
	73 A	Stonehenge	N/A	215.3
	73 B	Stonehenge	NIL	265
	74	Wood River	NIL	208.1
3AN	101	Terrell	3	316
	102	Lake Johnston	N/A	262.2
	103	Sutton	N/A	263
	104	Gravelbourg	5	259.5
	132	Hillsborough	1.5	380.5
	134	Shamrock	7	258
	164	Chaplin	5	249
	193 A	Eyebrow	1	313
	193 B	Eyebrow	NIL	384
	194	Enfield	N/A	358
3BS	17	Val Marie	N/A	457
	18	Lone Tree	N/A	N/A
	45	Mankota	NIL	329
	75 A	Pinto Creek	NIL	359
	75 B	Pinto Creek	NIL	256
	76 A	Auvergne	1	312
	76 B	Auvergne	N/A	308
	77	Wise Creek	N/A	262
	78 A	Grassy Creek	N/A	267
	78 B	Grassy Creek	NIL	220.5
	78 C	Grassy Creek	N/A	233
	105	Glenbain	N/A	281
	106	Whiska Creek	2	327
	107	Lac Pelletier	N/A	262
	108	Bone Creek	NIL	274
3BN	136	Webb	2	317
	166	Excelsior	5	371
	167	Sask. Landing	7.2	349
	168	Riverside	5	238
	226	Victory	N/A	400
	228	Lacadena	NIL	289
	257	Monet	1.8	313.5

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	19	Frontier	N/A	217.6
	49	White Valley	NIL	247
	51	Reno	N/A	200.5
	79	Arlington	N/A	219
	109	Carmichael	NIL	346
	110	Piapot	NIL	244
	111	Maple Creek	N/A	334
4B	139	Gull Lake	N/A	315
	141	Big Stick	N/A	322
	142	Enterprise	N/A	215
	169	Pittville	N/A	221
	231	Happyland	5	257
5A	183	Fertile Belt	N/A	465
	186	Abernethy	N/A	415
	211	Churchbridge	NIL	418
	213	Saltcoats	NIL	393
	214	Cana	N/A	N/A
	216	Tullymet	N/A	408
	217	Lipton	NIL	384
	241	Calder	N/A	389
	243	Wallace	N/A	342
	245 A	Garry	N/A	467
	245 B	Garry	NIL	496
	245 C	Garry	NIL	425
	246	Ituna Bon Accord	NIL	374
	247	Kellross	NIL	376
	248	Touchwood	N/A	314
5B	271	Cote	NIL	474
	276	Foam Lake	N/A	288.5
	277	Emerald	NIL	459
	305	Invermay	NIL	463
	307	Elfros	NIL	445
	308	Big Quill	NIL	292
	333 A	Clayton	N/A	258.8
	334	Preeceville	NIL	377
	336	Sosman	NIL	380
	337	Lakeview	NIL	377
	338	Lakeside	NIL	272
	366	Kelvington	NIL	433
6A	189	Lumsden	NIL	321
	190 A	Dufferin	2	314
	190 B	Dufferin	N/A	308
	190 C	Dufferin	N/A	274
	190 D	Dufferin	N/A	403.4
	219	Longlaketon	NIL	280
	220	Mickillop	NIL	316
	221	Samia	NIL	298.5
	222	Craik	NIL	378
	251	Big Arm	NIL	283
	252	Arm River	N/A	295
	279	Mount Hope	N/A	309
	282	McCraney	NIL	406
	309	Prairie Rose	NIL	307
	313	Lost River	N/A	300
	339	Leroy	NIL	441.3
	340	Wolverine	NIL	378
	341	Viscount	N/A	352
	343	Blucher	NIL	373.5
	280	Rosedale	NIL	338
6B	284	Rudy	1	547
	285	Fertile Valley	1	458
	286	Milden	NIL	410
	314	Dundurn	N/A	362
	344	Corman Park	NIL	412
	348	Perdue	NIL	472
	376 A	Eagle Creek	NIL	406
	376 B	Eagle Creek	NIL	546
	403	Rosthern	NIL	447
	259	Snipe Lake	N/A	410.1
7A	260 A	Newcombe	N/A	238
	260 B	Newcombe	N/A	320
	287	St. Andrews	NIL	415
	288	Pleasant Valley	NIL	413
	290	Kerdersley	1	317
	292	Milton	N/A	433.5
	317 A	Marriott	NIL	373
	317 B	Marriott	NIL	411
	318	Mountain View	NIL	413
	320 A	Oakdale	N/A	356
	320 B	Oakdale	NIL	333
	321	Prairiedale	N/A	372

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	NIL	430
	347 B	Biggar	N/A	367
	350 A	Manposa	NIL	480.4
	350 B	Manposa	1	407
	351	Progress	N/A	410
	352	Heart's Hill	N/A	439
	377	Glenside	NIL	512
	378 A	Rosemount	NIL	471
	378 B	Rosemount	NIL	480
	379	Reford	NIL	454
	381	Grass Lake	N/A	407
	409 A	Buffalo	NIL	556
	409 B	Buffalo	NIL	408.8
	410	Round Valley	N/A	316.9
	411	Senlac	N/A	443
8A	395	Porcupine	N/A	464
	397	Barrier Valley	NIL	463.9
	429	Star City	N/A	447
	456	Arborfield	NIL	532
	457	Connaught	2	624
	458	Willow Creek	NIL	429
	486	Moose Range	NIL	472
	487	Nipawin	NIL	567
8B	369	St. Peter	NIL	452
	370	Humboldt	NIL	471
	371	Bayne	N/A	543
	372	Grant	NIL	464.7
	402	Fish Creek	NIL	403
	429	Flett's Springs	NIL	480
	459	Kinistino	N/A	623
	460	Birch Hills	NIL	499.1
9AE	461	Prince Albert	N/A	471
	488	Torch River	11	445
	491	Buckland	N/A	447.9
9AW	496	Mayfield	NIL	454
	435	Redberry	NIL	450
	436	Douglas	NIL	386
	463	Duck Lake	NIL	434
	464	Leask	N/A	15
	467 A	Round Hill	NIL	390
	467 B	Round Hill	NIL	381
	494	Carnwood	N/A	409
	497	Medstead	N/A	447
9B	438	Battle River	NIL	448
	440	Hillsdale	NIL	399
	442	Manitou Lake	2.1	378
	468 B	Medla	N/A	38
	498 A	Parkdale	NIL	494
	498 B	Parkdale	N/A	390
	499	Mervin	5	419.6
	501 A	Frenchman Butte	2	424
	501 B	Frenchman Butte	2	330
	501 C	Frenchman Butte	NIL	496
	581	Loon Lake	NIL	470
	588 A	Meadow Lake	NIL	492
	588 B	Meadow Lake	2	460
	588 C	Meadow Lake	NIL	428
	588 D	Meadow Lake	N/A	437.1
	622	Beaver River	NIL	384

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2012
To: October 1, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200
Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 3, 2012

Cropland Topsoil Moisture Conditions

October 2, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 3, 2012

Hay and Pasture Topsoil Moisture Conditions

October 2, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 3, 2012